

APX RADIO ACCESSORIES

RESILIENCE WITHOUT COMPROMISE





TABLE OF CONTENTS

APX PURIA	BLE RADIO ACCESSORIES	5
XE500 Remote S	Speaker Microphones (RSM)	6
Remote Speaker	Microphones (RSM)	8
XE RSM Access	ories and Replacement Parts	12
Wireless RSM A	accessories and Replacement Parts	12
All RSM Access	ories and Replacement Parts	14
Public Safety Mi	icrophones	16
CommPort™		18
Ear Microphone	System	20
Surveillance Kits	S	20
Surveillance Kit	Accessories and Replacement Parts	26
Surveillance Kit	Audio Adapters	27
Headsets		28
3M Peltor Heavy	/ Duty Headsets	30
Headset Replace	ement Parts	31
Hearing Protecti	on	32
Tactical Solution	ns	32
Mission Critical	(Secure) Wireless Accessories	34
Operations Critic	cal (Non-Secure) Wireless Accessories	38
Motorola IMPRE	S 2 Batteries	40
Motorola IMPRE	S Batteries	40
Charger Solution	ns: Single and Multi-Unit	44
Charger Solution	ns: Vehicular and Travel	46
IMPRES Battery	Management Tools	48
Charger Solution	ns: Keyload Cables	48
Carry Solutions		50
Antennas		56
Programming Ca	bles	58

APX MOBILE RADIO ACCESSORIES	59
Long Range Wireless Mobile Accessory Kits	6
Long Range Wireless Accessories and Replacement Parts	6
Mobile Microphones	6:
Mobile Microphones Accessories	6
Control Station Accessories	6
Installation and Mounting Accessories	6
External Alarm Accessories	6
Speakers	6
Universal Relay Controller	6
Mobile Siren	6
Siren Accessories	6
SLIM (Siren Light Interface Module)	6
Cables	6
Antennas	7
GLOSSARY	78





MISSION CRITICAL PERFORMANCE FOCUSED ON DURABILITY AND FLEXIBILITY TO KEEP YOU SAFER

Motorola P25 APX radios deliver what first responders need to increase their safety and improve their situational awareness. Get the most out of your APX radio by extending its power and reliability with resilient APX accessories. They are the only accessories tested and certified for use with APX radios. Our accessories endure rigorous testing to last longer and help keep you safer. There's simply no substitute for Motorola APX accessories.

MOTOROLA'S EXCLUSIVE ENERGY AND AUDIO FEATURES ARE MADE FOR MISSION CRITICAL MOMENTS

IMPRES™2 ENERGY: YOUR RADIO IS YOUR LIFELINE. IF YOUR BATTERY DIES, IT JEOPARDIZES EVERYTHING.

That's why we introduced the IMPRES 2 for APX series radios. It's a next-generation energy system that's safer and smarter, while keeping you powered for even longer. With IMPRES 2 chargers, you can charge batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery.

IMPRES AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF.

Motorola's exclusive IMPRES audio accessories help suppress ambient noise, amplify loudness and improve voice intelligibility. IMPRES audio can virtually block out all background noise in any extreme environment with windporting and noise-cancelling technology. Ensure your voice is heard loud and clear no matter what direction you speak with an advanced microphone system. IMPRES audio will make sure you are heard in any demanding environment.



APX 4000



APX 4000



APX 3000







APX 1000





DESIGNED FOR THE MISSION. ENGINEERED FOR THE EXTREME.

APX XE500 Remote Speaker Microphones (RSMs) are designed by firefighters for firefighters. Ergonomic, rugged and reliable, the XE500 RSM is built with the user's extreme environment in mind. Designed to withstand heat exposure of 500°F for up to five minutes and an IP68 submersibility rating, it will perform in extreme conditions. Your lifeline needs to be as tough as your radio. That's why the XE500 RSM is the perfect companion to your APX radio.



XE500 RSM KEY FEATURES

- Available With and Without a Channel Knob
- High Visibility Strobe Light
- Adaptive Audio Engine
- IP68, 2 Meters, 4 Hours Submersion
- Heat Resistant Housing and Cable
- Orange Illuminated Emergency Button
- Transmit / Receive LED

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATUR	RES							
XE500 REMOTE S	PEAKER MICROPHOI	NES (RSM)										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES AUDIO	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	CHANNEL CONTROL	PROGRAMMABLE BUTTON	IP RATING	HAZLOC- CAPABLE [†]	SIZE (WITHOUT CLIP) (MM)
APX 8000		XE500 High Impact Green, Channel Knob, Xtreme Temperature Cable	PMMN4106	•	Multi-Mic Noise Suppression	Step			1	♦ IP68	UL	75 x 98 x 33
APX 8000XE APX 7000	-	XE500 Black Housing, Channel Knob, Xtreme Temperature Cable	PMMN4106_BLK	•	Multi-Mic Noise Suppression	Step			1	♦ IP68	UL	75 x 98 x 33
APX 7000XE APX 6000		XE500 High Impact Green, No Channel Knob, Xtreme Temperature Cable	PMMN4107	•	Multi-Mic Noise Suppression	Step			1	♦ IP68	UL	75 x 98 x 33
APX 6000XE	-	XE500 Black Housing, No Channel Knob, Xtreme Temperature Cable	PMMN4107_BLK	•	Multi-Mic Noise Suppression	Step			1	♦ IP68	UL	75 x 98 x 33

Large Yet Protected Emergency Button Channel Knob Bluetooth LED Transmit / Receive LED Volume Toggle Multi-Mic High Visibility Strobe Light Noise Suppression Reflective Label Recessed Push-To-Talk Button Water Resistant Speaker High Impact Green Housing Programmable Button D-Ring Loop Field Replaceable Extreme Temperature Cable 360° Clamping Cli

† HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



ENHANCED CONTROLS DESIGNED FOR THE MISSION

The XE500 RSM is an evolution of the XE RSM platform and like its predecessor was designed with the user's extreme environment in mind. From the exaggerated knobs and controls, that are easy to operate with bulky gloves to the asymmetrical shape that makes it easier to find the controls without looking.



ADAPTIVE AUDIO ENGINE HEAR AND BE HEARD

XE500 RSM utilizes 5 integrated microphones and an Adaptive Audio Engine. Similar to the radio, it automatically changes the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.



FLEXIBLE WEARING WEAR IT ANYWAY YOU WANT

The strategic placement of the microphones and enhanced water drainage provide users with the flexibility to wear it straight, upside down and even sideways while still delivering loud and clear audio.



EXTREME PERFORMANCE RUGGED, ROBUST, RELIABLE

Whether you are in the heat of a fire or exposed to extreme weather conditions the XE500 will keep you connected to your team. This RSM was designed to withstand heat exposure of 500°F (260°C) for up to 5 minutes. Built as a system, the APX 8000XE and the XE500 have been tested to meet IP68 (2 meter, 4 hours) submersibility specifications.

APX™ XP REMOTE SPEAKER MICROPHONE

DUAL MIC NOISE SUPPRESSION
This Remote Speaker Microphone
with its thin design and optimized
ergonomics is ideal for police
officers and other public safety
users. With Dual Mic Noise
Suppression, you will be heard
despite traffic noise and sirens in
the background. When it gets dirty,

just wash the microphone head to

ensure your communication is

not compromised.



WIRELESS REMOTE SPEAKER MICROPHONE

Secure pairing is easier than ever with voice prompts as there is no need to navigate menus or enter codes.

Removing the cord from the RSM makes getting ready for work quicker than ever. No more worrying about getting tangled with the seatbelt or other equipment.

This wireless RSM features large but recessed push-to-talk and emergency buttons to ensure that users have easy access to controls but don't have to worry about accidental activation. Additional features include volume control, an audio jack, 360 degree rotatable clip, as well as a task light that allows you to read in the dark.





APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATUR										VERTICA	L MARKETS:	Recommendati	ons based on ty	pical use case	for each of vertical	s listed.
REMOTE SPEAK clearer communica	ER MICROPHONES (R Itions even in loud environ	SM) Our robust portfolio includes Remote Sp nents.	eaker Microphone	es and seco	ndary audio acces	sories engine	eered to give you	I	All remo	te speaker micr	rophones are	built with top	quality materi	als includi	ng durable	e Kevlar® (ables that	survive to	ough working	conditions.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES AUDIO	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	SIZE (WITHOUT CLIP) (MM)	POLICE	FIRE	EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING TRANSPORTATI
APX 8000		IMPRES XP RSM with Dual Mic Noise Suppression, Volume Control, 1-Programmable Button and Orange Button. Rugged, Submersible (IP68)	NMN6271	•	Dual-Mic Noise Suppression	Step	3			1		▲ IP68 Rugged	95 x 69 x 27	•			•	•	•	•
APX 80000XE APX 7000 APX 7000XE APX 6000 APX 6000XE		IMPRES XP RSM with Dual Mic Noise Suppression, 3.5mm threaded jack, Volume Control, 1-Programmable Button and Orange Button (IP55)	NMN6274	•	Dual-Mic Noise Suppression	Step	3			1	3.5 mm	IP55	95 x 69 x 27	•			•	•	•	•
APX 4000 APX 3000 SRX 2200		XP RSM Replacement Cable with Audio Jack	PMKN4222																	
		XP RSM Replacement Cable without Audio Jack	NKN6611																	
APX 8000 APX8000XE APX 7000 APX 7000XE		Wireless RSM with Battery, Clip (RLN6544) and Dual Unit Charger (PMLN7120)	RLN6554		Windporting	Step	3			1	3.5 mm	IP55	88 x 63 x 26	•		•	•	•	•	•
APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Wireless RSM with Battery and Clip. No Charger.	RLN6544		Windporting	Step	3			1	3.5 mm	IP55	8 x 63 x 26	•		•	•	•	•	•

COMPATIBILITY	ACCESSORY			FEATUR	ES										VERTIC	AL MARKET	rs: Recomme	ndations base	d on typical use cas	se for each of vert	icals listed.
REMOTE SPEAKER clearer communication	R MICROPHONES (RS ns even in loud environn	SM) Our robust portfolio includes Remote Speaker Microphones and seconents.	ndary audio acce	ssories en	gineered to give y	ou .	All remo	ote spea	ker microp	hones are b	ouilt with	top quali	ty materi	als including o	durable k	(evlar ® c	ables tha	t survive	tough workin	g conditions	š.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	E AUDIO JACK	IP RATING	HAZLOC- CAPABLE [†]	SIZE (WITHOUT CLIP) (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 8000XE APX 7000		IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104	•	Windporting	Step		•	ø	2	8-Pin	▲ IP68 Rugged	UL	68 x 106 x 31	•	•	•	•	•	•	•
APX 7000XE APX 6000 APX 6000XE APX 4000	911	IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103	•	Windporting	Step	Ť	•		2	8-Pin	▲ IP68 Rugged	UL	68 x 106 x 31	•	•	•	•	•	•	•
APX 3000 APX 900 SRX 2200	7	IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101	•	Windporting	Step				2	8-Pin	▲ IP68 Rugged	UL	68 x 106 x 31	•	•	•	•	•	•	•
APX 8000 APX 8000XE APX 7000 APX 7000XE	7/	IMPRES RSM Windporting, Rugged (IP68)	PMMN4083	•	Windporting							▲ IP68 Rugged		60 x 78 x 28	•	•	•	•	•	•	•
APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200	711	IMPRES RSM with 3.5mm Threaded and NON-Threaded Audio Jack and Orange Button. Noise-Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4084	•	Noise- Cancelling						3.5 mm	IP54		60 x 78 x 28	•		•	•	•	•	•
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 1000 APX 900	7 7	IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON-Threaded Jack (IP68)	PMMN4099	•	Windporting	High/Low	Ö			1	3.5 mm	♦ IP68	UL	60 x 78 x 28	•	•	•	•	•	•	•
L	alim III	Windporting RSM, Coyote Brown, (IP57)	NNTN8235		Windporting							♦ IP57	UL	55 x 60 x 27			•				
SRX 2200	6	Windporting RSM with NON-Threaded 3.5mm Audio Jack, Coyote Brown, (IP54)	NNTN8236		Windporting						3.5 mm	IP54	UL	55 x 60 x 27			•				
APX 7000 APX 7000XE APX 6000	7/7	IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise- Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4062	•	Noise- Cancelling						3.5 mm	IP54	UL	60 x 78 x 28	•		•	•	•	•	•
APX 6000XE APX 4000 APX 3000	71	IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065	•	Windporting	High/Low				1		♦ IP57	UL	60 x 78 x 28	•		•	•	•	•	•
APX 1000 APX 900 SRX 2200	717	IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069	•	Windporting						3.5 mm	IP55	UL	60 x 78 x 28	•		•	•	•	•	•

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.





APX WIRELESS RSM

Every feature on this RSM has been purposefully designed. Large, yet recessed push-to-talk and emergency buttons are easy to access and designed to prevent accidental activation. Additional features include a volume control, audio jack and task light that allows you to read items such as a driver's license in the dark. This RSM features all of the advanced capabilities of Mission Critical Wireless including enhanced security, fast push-to-talk and quick touch pairing with voice prompts that confirm pairing actions. This RSM also features a removable and rechargeable battery. Charge the RSM on the go with the vehicular charger or in the office with the dual-unit desk charger.

	ATIBILITY	ACCESSORY			FEATURES		
EM	OTE SPEAKE	R MICROPHONE A	CCESSORIES AND REPLACEMENT PAR	TS			
RTAI	BLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	HAZLOC-CAPA
		2	Receive-Only Earpiece with Comfort Eartube, UL approved	RLN4941	Clear Rubber Eartip	3.5mm	UL
	APX 8000		Receive-Only Earpiece with Comfort Eartube. Extra loud audio output	RLN4941_XL	Clear Rubber Eartip	3.5mm	
ĺ	APX 8000XE	()	Receive-Only Earpiece with Comfort Eartube	PMLN7560	Clear Rubber Eartip	3.5mm	
1	APX 7000	0	Receive-Only Earbud, UL approved	AARLN4885	Foam Earbud	3.5mm	UL
	APX 7000XE	O.	Receive-Only Earpiece, Loud Version. Required BDN6783 or NMN6274	RLN5313_XL	Clear Rubber Eartip	3.5mm	
1	APX 6000	4 6	EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513			
	APX 6000XE	03	Adjustable D-Style Earpiece	PMLN7396	Over-the-Ear	3.5mm	
	APX 4000		D-Shell Rx-Only Earpiece	PMLN4620	Over-the-Ear	3.5mm	UL
	AI A TUUU	60	Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	3.5mm	UL
	APX 3000	A	Receive and Transmit Boomless Temple Transducer (for HMN4104, HMN4103 and HMN4101 only)	RMN5116	Over-the- Head	8-Pin	UL
1	APX 1000	15	Receive-Only Extra Loud Earpiece with Translucent Tube and Rubber Eartip (for HMN4104, HMN4103 and HMN4101 only)	RLN6424_XL	Clear Rubber Eartip	8-Pin	UL
	APX 900		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB.* (Pack of 50 pairs)	5080384F72	Foam Eartip		
	SRX 2200	¢a	Replacement Rubber Eartip for RLN6424 (Pack of 25)	5080370E97			
		(0)	D Ring Swivel Clip (12 pack), Compatible with all XP RSMs and wireless RSMs	NNTN4990			

^{*} For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 25dB.



WHICH MICROPHONES ARE 50% LOUDER AND CLEARER?

APX Remote Speaker Microphones and Public Safety Microphones deliver audio that is clearer, easier to understand, and up to 50% louder. That's because they have the same speaker found in APX portable radios for the best-in-class accessory audio available.

[†] Hazloc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

COMPATIBILITY	ACCESSORY			FEATURES
REMOTE SPEAK	ER MICROPHONE ACCESSORIES A	AND REPLACEMENT PART	S	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	CONNECTOR TYPE
APX 8000XE		Interface Cable, 5-Pin Nexus Female Receptacle for HMN4104, HMN4103 and HMN4101	PMKN4107	5-Pin Nexus Female
APX 7000 APX 7000XE		Interface Cable 4-Pin Nexus Male Plug for HMN4104, HMN4103 and HMN4101	PMKN4112	4-Pin Nexus Male
APX 6000				
APX 6000XE		Interface Cable, 12-Pin Hirose Male Connector for HMN4104, HMN4103 and HMN4101	PMKN4113	12-Pin Hirose Male
APX 4000	•	11101114-101		
APX 3000		Replacement Coil Cord Kit for HMN4104, 4103 and 4101	3075336B17	
APX 1000		MININ4104, 4103 and 4101		
APX 900	\ \tag{\tag{\tag{\tag{\tag{\tag{\tag{	Replacement Coil Cord Kit for		
SRX 2200		PMMN4062, PMMN4065, PMMN4069, PMMN4083 and PMMN4099.	RLN6075	



WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

If you work outdoors in demanding weather, a Windporting microphone is right for you. It reduces the effects of wind and other sounds whenever you use the microphone. It also prevents water from clogging the microphone for clear transmissions.

NOISE-CANCELLING AUDIO: I HEAR YOU, NOT THE NOISE

Talking in a crowd or near heavy equipment? A Noise-Cancelling microphone reduces background sounds. To optimize noise reduction, hold the microphone in the correct position directly in front of your mouth, facing the source of the noise.

DUAL MIC NOISE SUPPRESSION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.

OMPATIBILITY	ACCESSORY			FEATURES									VERTICAL M	ARKETS: Recomm	endations based o	n typical use case	for each of verticals	s listed.	
	IICROPHONES Our ro	bust portfolio includes Public Safety Microph ments.	nones and seconda	ry audio acces	ssories engineered to	give you													
RTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES AUDIO	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	HAZLOC- CAPABLE [†]	SIZE (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORT
APX 7000 700/800 MHz only APX 6000 700/800 MHz only APX 3000 700/800 MHz only	,	Public Safety Microphone (30 inch cable) PSM Antenna required. VHF not supported.	PMMN4061	•	Windporting	High/Low		1	3.5 mm	IP55	UL	60 x 78 x 28	•				•		
	H	Public Safety Microphone (24 inch cable) PSM Antenna required. VHF not supported. Recommended for use with UHF radios.	PMMN4060	•	Windporting	High/Low		1	3.5 mm	IP55	UL	60 x 78 x 28	•				•		
		Public Safety Microphone (24 inch cable) PSM Antenna required. VHF not supported. Recommended for use with 7/800MHz radios.	PMMN4060_ SP01	•	Windporting	High/Low		1	3.5 mm	IP55	UL	60 x 78 x 28	•				•		
		Public Safety Microphone (18 inch cable) PSM Antenna required. VHF not supported.	PMMN4059	•	Windporting	High/Low		1	3.5 mm	IP55	UL	60 x 78 x 28	•				•		

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.




HOW DOES COMMPORT™ WORK?

The miniature microphone and receiver connect to your APX radio and fasten securely and comfortably to your ear. Unlike bone conduction or boom mic technology, the CommPort System picks up sound waves as they cross the face so you hear and can be heard virtually in any environment.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		
COMMPORT™ Int of everything around	egrated microphone/receiver I you, from traffic noise to othe	lets you talk discreetly and hear clearly and still be aware er responders.	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
APX 8000			
APX 8000XE		Replacement Palm PTT for RLN6480	NKN6510
APX 7000			
APX 7000XE			
APX 6000		Replacement Cable for RLN6481	NKN6508
APX 6000XE			
APX 4000			
APX 3000			
SRX 2200		Replacement Snap-On-Side PTT for RLN6482	NKN6525





OMPATIBILITY	ACCESSORY			FEATURES						VERTICAL N	MARKETS: Recomm	nendations based o	on typical use case	for each of verticals list	ted.	
AR MICROPHO	NE SYSTEM															
RTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	РТТ	PROGRAMMABLE BUTTON	HAZLOC- CAPABLE [†]	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	L, GAS AND MINING	TRANSPORTAT
	2	IMPRES Ear Microphone with Bone Conduction and programmable button, black	PMLN5653	•	In-Ear Mic	In-Ear Mic	Large, Ring-guarded, Recessed	O		•		•	•			
APX 7000 APX 7000XE APX 6000 APX 6000XE	50	Earguard with Adjustable Loop	0180300E25		V DOES IMPR IO PERFORM	RES IMPROVE ANCE?	B.							ij		
PX 4000 PX 3000 PX 1000 PX 900		Earholder, Black, Small	0180358B32	quality reduci voice i or nori	ES enhances the c of Motorola acce ng ambient noise intelligibility. If you mally, but not dire ohone, IMPRES Au	essories by and improving I speak quietly ctly into a				1			ž.			
RX 2200		Earholder, Clear, Large	0180358B37	chang adjust listene	es in your voice and street to act the transmitted war won't have to act to down.	nd automatically volume so your						1				
PATIBILITY	ACCESSORY			FEATURES						VERTICAL M	IARKETS: Recomm	endations based or	n typical use case	for each of verticals liste	ed.	
RVEILLANCE I les that withstar	KITS Transmit and receind tough conditions. A qu	ve discreetly with a variety of surveillance ki ick-disconnect, durable and comfortable trai	ts that feature a strea nslucent tube enables	mlined design easy sharing	and rugged between shifts.			ave one wire for receiving t feature separate wires for				e and push-to-	talk.			
TABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	РП	PROGRAMMABLE BUTTON	HAZLOC- CAPABLE [†]	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND OIL PUBLIC WORKS MIN	., GAS AND NING	FRANSPORTAT
APX 8000		1-Wire Receive-only Earpiece, Black	PMLN6125	•	Ear Hanger				UL	•		•	•			
APX 7000 APX 7000XE	1	4.00	DN 41 N104 OO							_						

APX 8000	1-Wire Receive-only Earpiece, Black	PMLN6125	•	Ear Hanger				UL	•	•	•	
APX 7000 APX 7000XE APX 6000	1-Wire Receive-only Earpiece, Beige	PMLN6126	•	Ear Hanger				UL	•	•	•	
APX 4000 APX 3000 APX 1000	IMPRES 2-Wire Surveillance Kit, Programmable Button, Black	PMLN6127	•	Ear Hanger	Ť	•		UL	•	•	•	
SRX 2200	IMPRES 2-Wire Surveillance Kit, Programmable Button, Beige	PMLN6128	•	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	7	UL	•	•	•	

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

COMPATIBILITY	ACCESSORY			FEATURES						VERTICAL N	//ARKETS: Recomm	endations based o	n typical use case	for each of verticals	listed.	
SURVEILLANCE N	KITS															
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC-CAPABLE [†]	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000		IMPRES 2-Wire Surveillance Kit with Translucent Tube, Programmable Button, Black	PMLN6129	•	Clear Rubber Eartip	•	•		UL	•		•	•			
APX 3000 APX 1000 APX 900 SRX 2200	00 00 00 00 00 00 00 00 00 00 00 00 00	IMPRES 2-Wire Surveillance Kit with Translucent Tube, Programmable Button, Beige	PMLN6130	•	Clear Rubber Eartip	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	7	UL	•		•	•			
APX 7000XE		IMPRES 3-Wire Surveillance Kit with Translucent Tube, Programmable Button, Black	PMLN6123	•	Clear Rubber Eartip			4.2	UL	•		•	•			
APX 6000XE		IMPRES 3-Wire Surveillance Kit with Translucent Tube, Programmable Button, Beige	PMLN6124	•	Clear Rubber Eartip	Separate Wire	Separate Wire		UL	•		•	•			
APX 4000	90	1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6726		Ear Hanger				UL	•		•	•			
APX 1000 APX 900 SRX 2200	05	1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6727		Ear Hanger				UL	•		•	•			

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

MPATIBILITY RVEILLANCE	ACCESSORY KITS							VERTICAL	MARKETS: Recom	mendations based	on typical use ca	se for each of vertic	cals listed.	
TABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	HAZLOC-CAPABLE [†]	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPO
APX 8000		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783.	RLN5313	Clear Rubber Eartip			UL	•		•	•			
APX 8000XE	Land Control	1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, Loud version, 3.5mm Threaded. Requires BDN6783 or NMN6274.	RLN5313_XL	Clear Rubber Eartip				•		•	•			
APX 7000 APX 7000XE	G91	2-Wire Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783.	RLN5312	Clear Rubber Eartip	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire		•		•	•			
APX 6000	,	2-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6729	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	UL	•		•	•			
APX 6000XE	6	2-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6669	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire		•		•	•			
APX 4000		2-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6731	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	UL	•		•	•			
APX 3000		3-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6668	Ear Hanger	Separate Wire	Separate Wire	UL	•		•	•			
APX 1000		3-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6730	Ear Hanger	Separate Wire	Separate Wire	UL	•		•	•			
APX 900 SRX 2200	000	3-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6670	Ear Hanger	Separate Wire	Separate Wire		•		•	•			
		3-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6732	Ear Hanger	Separate Wire	Separate Wire	UL	•		•	•			

† HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



	TIBILITY	ACCESSORY	UD DEDI ACEMENT DADEC		FEATURES	
	EILLANCE KI Le radios	DESCRIPTION	ND REPLACEMENT PARTS	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KIT
			Completely Discreet Earpiece Kit with Neckloop, Beige, Includes GMLN5261, RLN4920 and RNN4005	PMLN7696		
	APX 8000XE	2	Phonak Nano Ear Receiver, Beige (Neckloop must be ordered separately)	GMLN5261		
ĭ	APX 7000	2	Phonak Nano Ear Receiver, Brown (Neckloop must be ordered separately)	GMLN5262		
			Replacement Earwax Guards. 5 per pack. Compatible with PMLN7696	RLN4919		
	APX 7000XE	6	Optional Retention Hooks, Pack of 10	NNTN8457		
Ĭ	APX 6000		Phonak Inductive Neckloop Included in the PMLN7696	RLN4920		
	APX 6000XE		1.4 Volt Battery – Pack of 6	RNN4005		
1			Low Noise Kit with Quick Disconnect Translucent Tube and Clear Rubber Eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN61: PMLN6129, PMLN61:
	APX 4000	O Th	Replacement Standard Clear Rubber Eartip, Pack of 50	RLN6282	Clear Rubber Eartip	PMLN6123, PMLN61: PMLN6125, PMLN61: PMLN6127, PMLN61: PMLN6129, PMLN61:
	APX 3000		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB.* Pack of 50 pairs.	5080384F72	Foam Eartip	PMLN6123, PMLN61: PMLN6129, PMLN61:
	APX 1000	Shire.	Low Noise Kit with 1 Clear Rubber Eartip	RLN5886	Clear Rubber Eartip	RLN5882, RLN5883, PMLN5111, PMLN51
		12	High Noise Kit* with 2 Foam Earplugs	RLN5887	Foam Eartip	PMLN6125, PMLN61:
	APX 900	4.5	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ Foam Eartip	RLN5882, RLN5883,
1	SRX 2200		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply™ Foam Eartip	PMLN5111, PMLN51 PMLN6123, PMLN61: PMLN6125, PMLN61: PMLN6127, PMLN61:
N		0	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™ Foam Eartip	PMLN6129, PMLN613

^{*} For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 25dB.



COMPATIBILITY	ACCESSORY			FEATURES
SURVEILLANCE K	IT ACCESSORIES AN	D REPLACEMENT PARTS		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE
	ð	Small Clear Comfortable Earpiece, Right Ear	RLN4760	Clear comfortable earpiece
APX 8000 APX 8000XE	3	Medium Clear Comfortable Earpiece, Right Ear	RLN4761	Clear comfortable earpiece
APX 7000 APX 7000XE APX 6000	D	Large Clear Comfortable Earpiece, Right Ear	RLN4762	Clear comfortable earpiece
APX 6000XE APX 4000 APX 3000 APX 1000		Small Clear Comfortable Earpiece, Left Ear	RLN4763	Clear comfortable earpiece
APX 900 SRX 2200	G	Medium Clear Comfortable Earpiece, Left Ear	RLN4764	Clear comfortable earpiece
	6	Large Clear Comfortable Earpiece, Left Ear	RLN4765	Clear comfortable earpiece
SURVEILLANCE K	IT AUDIO ADAPTERS			
APX 7000 APX 7000XE APX 6000 APX 6000XE		3.5mm Threaded Audio Adapter	BDN6783 [†]	UL Approved: BDN6667, BDN6668, BDN6669, BDN6728, BDN6729, BDN6730, BDN6731, BDN6670 Other: BDN6664, BDN6665, BDN6666, BDN6726, BDN6727, BDN6732
APX 4000 APX 3000 APX 1000 APX 900 SRX 2200		6 Pin Hirose Keyload and Audio Adapter	NNTN7869	ZMN6031, ZMN6032, ZMN6038, ZMN6039

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



XBT HEAVY-DUTY WIRELESS HEADSET IN USE

It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL N	ARKETS: Recomm	mendations based o	n typical use case	e for each of vertica	Ils listed.	
HEADSETS																		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	MICROPHONE	PTT	HAZLOC-CAPABLE [†]	WEIGHT	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATIO
	3	IMPRES Temple Transducer with Boom Microphone and In-line Push-To-Talk Replacement Rubber Temple Cover (1 Pair) 7580384M19	PMLN5101	•	Behind- the-Head	Bone Conduction		Boom	In-line	UL	Lightweight	•		•		•	•	•
APX 8000 APX 8000XE	W S	Earset D-Shell	PMLN5096		Over- the-Ear	Single-Ear		Boom	In-line	UL	Lightweight							•
APX 7000 APX 7000XE APX 6000		Ultra Lite Headset	PMLN5102		Over- the-Head	Single-Ear		Boom	In-line	UL	Lightweight							•
APX 6000XE APX 4000	Ω	Heavy-Duty Behind-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB	PMLN6852		Behind- the-Head	Dual-Ear	•	Boom	On Ear Cup		Heavy-Duty					•	•	•
APX 3000 APX 1000 APX 900		Heavy-Duty Behind-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB	PMLN6853		Behind- the-Head	Dual-Ear	•	Boom	On Ear Cup	UL	Heavy-Duty					•	•	•
SRX 2200		Heavy-Duty Over-the-Head Headset with Noise-Cancelling boom Microphone, Noise Reduction = 24dB	PMLN7466		Over- the-Head	Dual-Ear	•	Boom	On Ear Cup		Heavy-Duty					•	•	•
		Heavy-Duty Over-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB	PMLN7467		Over- the-Head	Dual-Ear	•	Boom	On Ear Cup	UL	Heavy-Duty					•	•	•
APX 8000 APX 6000XE APX 8000XE APX 4000 APX 7000 APX 1000 APX 7000XE APX 900 APX 6000 SRX 2200		Lightweight Over-the-Head Headset Single Muff with in-Line Push-To-Talk & Boom Mic REX4648 - Replacement Foam Earpad and Microphone Cover Kit	RMN5058		Over- the-Head	Single-Ear		Boom	In-line	UL	Lightweight			•		•	•	•
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490		Behind-the- Neck	Dual-Ear	•	Boom	Radio, Headset or Wireless PTT Pod		Heavy-Duty					•		•
APX 6000XE APX 6000XE APX 4000 APX 3000 APX 900 SRX 2200	8.	XBT Operations Critical Wireless Headband Style Headset	RLN6491		Over- the-Head	Dual-Ear	•	Boom	Radio, Headset or Wireless PTT Pod		Heavy-Duty					•		•

† HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

COMPATIBILITY	ACCESSORY				FEATURES						
SM PELTOR HEAV	VY DUTY HEADSETS										
ORTABLE RADIOS	DESCRIPTION AND ADAPT	TER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	NOISE- CANCELLING MICROPHONE	PTT (APX)	HAZ CAP <i>I</i>
DIRECT CONNEC	Т										
APX 8000 APX 8000XE APX 7000	6	MT Series Over-the-Head Headset, Direct Radio Connect	RMN5137	MT7H79A-C5063-34	Over-the-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup	l
APX 7000XE APX 6000 APX 6000XE	99	MT Series Neckband Headset, Direct Radio Connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup	ı
APX 4000 APX 3000 SRX 2200		MT Series Hard Hat Attached Headset, Direct Radio Connect	RMN5139	MT7H79P3E-C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup	ı
IT ADAPTER CO	ONFIGURATIONS										
	6	MT Series Over-the-Head Headset with Nexus Connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095	
	00	MT Series Neckband Headset with Nexus Connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adapter PMLN6095	
APX 8000 APX 8000XE APX 7000	2	MT Series Hard Hat Attached with Nexus Connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adapter PMLN6095	
APX 7000XE APX 6000 APX 6000XE		TacticalPro Series Over-the-Head Headset with Nexus Connector	RMN4052	MT15H7A-34	Over-the-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapter PMLN6095	
APX 4000 APX 3000	0.0	TacticalPro Series Neckband Headset with Nexus Connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095	
SRX 2200	0:1	TacticalPro Series Hard Hat Attached with Nexus Connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapter PMLN6095	
	2	PTT Nexus Adapter. Requires one of the six headsets listed directly above	PMLN6095	FL5063-34							
SM CONFIGURA	ATIONS										
APX 7000 APX 7000XE	66	HT Series Listen Only Over-the-Head Headset with 3.5mm NON Threaded Connector	RMN4055	HTM79A-34	Over-the-Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	APX radio	
APX 6000 APX 6000XE APX 4000	96	HT Series Listen Only Neckband Headset with 3.5mm NON Threaded Connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)	requires RSM: PMMN4062, PMMN4069 or	
APX 3000 APX 2200	-	HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON Threaded Connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)	PMMN4084	



COMPATIBILITY	ACCESSORY			
HEADSET REPLA	CEMENT PARTS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER
APX 7000 APX 7000XE APX 6000 APX 6000XE		Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
APX 4000 APX 3000 SRX 2200		Boom Microphone Wind Screen	RLN6543	M40/1

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

COMPATIBILITY	ACCESSORY			FEATURES			VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
HEARING PROTEC	CTION													
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATIO	
APX 8000 APX 8000XE APX 7000		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6511	Comply™ Foam Ear tip		Noise-Reduction					•	•	•	
APX 7000XE APX 6000 APX 6000XE APX 4000		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6512	Comply™ Foam Ear tip		Noise-Reduction					•	•	•	
APX 3000 APX 1000 APX 900 SRX 2200	0	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6513	Comply™ Foam Ear tip		Noise-Reduction					•	•	•	
TACTICAL SOLUT	IONS													
APX 8000	5	Tactical PTT/VOX Interface Module	PMLN6765				•	•	•	•	•		•	
APX 8000XE	6 -B	Tactical PTT Only Interface Module	PMLN6827				•	•	•	•	•		•	
APX 7000	O TO	Tactical Boomless Temple Transducer Requires Interface Module PMLN6765 or PMLN6827.	PMLN6766	Over- the-Head	Bone Conduction	n Noise-Cancelling	•		•	•	•		•	
APX 7000XE	ora,	Tactical Throat Microphone Requires Interface Module PMLN6765 or PMLN6827.	PMLN6828	Neckband	Earbud	Noise-Cancelling	•		•	•	•		•	
APX 6000	2	Tactical Ear Microphone Requires Interface Module PMLN6765 or PMLN6827.	PMLN6829	In-Ear	In-Ear	Noise-Cancelling	•	•			•		•	
APX 6000XE	O ME	Tactical Temple Transducer / Boom Mic Requires Interface Module PMLN6765 or PMLN6827.	PMLN6833	Over- the-Head	Bone Conduction	n Noise-Cancelling	•			•	•		•	
APX 3000		Tactical Remote Body PTT For use with Interface Module PMLN6765 or PMLN6827.	PMLN6767				•	•	•	•	•		•	
SRX 2200	2	Tactical Remote Ring PTT For use with Interface Module PMLN6765 or PMLN6827.	PMLN6830					•		•			•	

WHAT ARE THE EP7 SONIC DEFENDERS ULTRA EARPLUGS?

RLN6511, RLN6512, RLN6513

The EP7 Sonic Defenders Ultra Earplugs provide extra comfort and/or noise protection for users wearing surveillance accessories or users wearing heavy duty headsets / helmets. With a foam-tipped stem design and soft memoryfoam Comply™ Canal Tips, these comfortable earplugs protect your hearing without blocking your ability to hear routine sounds or conversations. Safe sounds are allowed to pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter.

Filter caps are included and can be inserted for additional hearing protection or removed for use with surveillance kits.* With a patented EarLock® technology to hold them in place, all-day comfort, and a low-profile design, these earplugs can be worn while wearing a helmet or mask, or while using a phone or heavy duty headset. Lanyard is included in each earplug kit.

Motorola's Tactical Solution offers a high performance interface enhanced by high speed DSP (Digital Signal Processor) which only detects the human voice.

Providing steady and trouble free transmission without clipping your message even in the noisiest environments.

Combined with various headsets assures efficient and safer operation in a variety of work environments.

^{*}EP7 earpiece will not provide full 28dB Noise Reduction when the noise-reducing filter is removed.

HOW DO MISSION CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio and are ideal for surveillance operations. They look CONSUMER, but are mission critical in performance and provide exceptional flexibility, high security, superior audio performance and a new dimension of freedom. Carry your radio in a backpack, bag or purse without being constrained by wires. YOUR RADIO, UNLEASHED.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES										VERTICAL N	// ARKETS: Recomm	nendations based o	on typical use case	e for each of vertica	ls listed.	
MISSION CRITIC and stay connected	AL WIRELESS (MCW) within 30 feet.) ACCESSORIES This portfolio is a game ch	anger, giving you tl	he flexibility to remov	e the radio from yo	ur belt														
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MM)	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOC- CAPABLE [†]	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000		Mission Critical Wireless Earpiece with 12" Cable and Push-To-Talk Pod	NTN2570	Over-the-Ear (CommPort™)	Directional, above the Earpiece	•	10	3	43	70 x 41 x 25	30	IP54		•	•	•	•	•		•
APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000		Mission Critical Wireless Push-To-Talk Pod	NTN2571			•	10	3	43	70 x 41 x 25	30	IP54		•	•	•	•	•		•
APX 3000 SRX 2200		Mission Critical Wireless Remote Control Keyfob with Programmable Buttons	NNTN8442			•	10	3	26	67 x 32 x 16	30	IP54		•			•			

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

MPATIBILITY	ACCESSORY			FEATURES		
ISSION CRITICA d stay connected v	AL WIRELESS (MCW) within 30 feet.	ACCESSORIES This portfolio is a game ch	anger, giving you th	ne flexibility to remove	e the radio from your	belt
RTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
		Single-wire Surveillance Kit With Quick Disconnect Translucent Tube for Wireless Push-to-Talk Pod	PMLN7052	Clear Rubber Eartip	In-line	On Pod, ordered separatel
APX 8000	(55)	Single-wire Earbud with 11.5" Cable for Wireless Push-to-Talk Pod, Black	NNTN8294	Earbud	In-line	On Pod, ordered separatel
APX 8000XE	3	Single-wire Earbud with 45" Cable for Wireless Push-to-Talk Pod, Black	NNTN8295	Earbud	In-line	On Pod, ordered separatel
APX 7000	550	Covert Audio Kit for Mission Critical Wireless PTT Pod	NNTN8296	1 Earbud and 2 Earbud Headsets	In-line	On Pod, ordered separatel
APX 7000XE	101	Y-Adapter and Retention Hook for Mission Critical Wireless Push-to-Talk Pod	NNTN8385		Directional, on Separate Wire	On Pod, ordered separatel
APX 6000		Neckloop for Discreet Earpiece Kit	RLN4920			
APX 6000XE	Sé.	Accessory Kit for Completely Discreet Wireless Surveillance Kit. Includes: Wireless Neckloop, Y-adapter and Retention Hook (NNTN8385), Completely Discreet Earpiece Kit (PMLN7696) and Mission Critical Wireless Push-To-Talk Pod (NTN2571)	NNTN8434			
APX 4000		Commercial 3.5mm Earbud Headset Adapter, 10 per pack	NNTN8737			
APX 3000	5	Replacement Wireless Earpiece Cable, 12 inch	NTN2572	Over-the-Ear (CommPort [™])	Directional above the Ear CommPort	On Pod, ordered separatel
SRX 2200		Mission Critical Wireless Covert Pack-N-Go Kit, Basic. Kit includes: NNTN8296 Basic Mission Critical Wireless Covert Kit, NTN2571 Mission Critical Wireless Push- to-Talk (PTT) Pod and NNTN8442 Mission Critical Wireless Remote Control Unit	RLN6489	Earbud and Earbud Headset	On Y-Adapter or In-line on Earbuds	On PTT ar MCW Keyf
		Mission Critical Wireless Covert Pack-N-Go Kit, Advanced. Kit includes: All contents of Covert Pack-n-Go Kit plus PMLN7696 Completely Discreet Earpiece Kit and NNTN8385 Wireless Neckloop Y-adapter	RLN6501	Completely Discreet Earpiece, Earbud and Earbud Headset	On Y-Adapter or In-line on Earbuds	On PTT ar MCW Keyf

COMPATIBILITY MISSION CRITIC	ACCESSORY CAL WIRELESS (MCW)	ACCESSORIES This portfolio is a game cl	nanger, giving you th	FEATURES e flexibility to remove	the radio from your	belt
and stay connected portable radios	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	(th	Wireless Earpiece Maintenance Kit with 10 Silicone Ear Tubes, 10 Microphone Seal Strips and 2 Foam Windscreens for NTN2572 Over-the-Ear Earpiece	NTN8821	Over-the-Ear (CommPort™)		
APX 8000	one de servicia de la companya del companya de la companya del companya de la com	Ear Strap for CommPort™ Earpiece to Secure Earpiece to Ear (10 per pack)	NTN8988	Over-the-Ear (CommPort™)		
APX 8000XE APX 7000 APX 7000XE	~	Eartubes for CommPort™ Earpiece (10 per pack)	RLN5037	Over-the-Ear (CommPort™)		
APX 6000 APX 6000XE APX 4000 APX 3000	5	Replacement Ear Tips Kit for Wireless Ear Buds (20 Small, 20 Medium, 20 Large and 10 Clips)	NNTN8361	Earbud		
SRX 2200	•	Replacement Swivel Clip for Wireless PTT Pod	PMLN6246			
		Replacement or Spare Micro-USB Plug-In Charger (US)	PMPN4027			

WHAT MAKES THE COVERT PACK-AND-GO KIT A MUST-HAVE?

Organize and stow all your APX wireless accessories on the go, all in one place. Keep this durable kit in a backpack or messenger bag and you'll always have the right accessories on hand. With a dozen secure straps and deep mesh pockets, you can access exactly what you need when an operation happens.





COMPATIBILITY	ACCESSORY			FEATURES		
OPERATIONS CR and stay connected	ITICAL WIRELESS (OC within 30 feet.	CW) ACCESSORIES This portfolio is a game	changer, giving y	ou the flexibility to ren	nove the radio from	your belt
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ
	1	EP900W Opertions Critical Wireless Earpiece with PTT	PMLN7851	Over-the-Ear (Swivel)	In-line	On Pod
	(I)C	Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod, and Charging Cradle with Power Supply	RLN6500	Over-the-Ear (Swivel)	Boom	On Earpiece
APX 900		Flexible Earpiece With Boom Microphone for RLN6500	PMLN7203	Over-the-Ear (Swivel)	Boom	On Pod, ordered separately
	80	Operations Critical Wireless Earpiece with 12 inch Cable	NNTN8125	Over-the-Ear (CommPort [™])	Directional, above the Earpiece	On Pod
		Operations Critical Wireless Push-to-Talk Pod with Charger	NNTN8127			On Pod
	Ce.	Accessory Kit for Completely Discreet Wireless Surveillance Kit. Includes: Wireless Neckloop, Y-adapter and Retention Hook (NNTN8385), Completely Discreet Earpiece Kit (PMLN7696) and Mission Critical Wireless Push-To-Talk Pod (NTN2571)	NNTN8434			
APX 8000 APX 8000XE APX 7000		Single-wire Surveillance Kit With Quick Disconnect Translucent Tube for Wireless Push-to-Talk Pod for Pod	PMLN7052	Clear Rubber Eartip	In-line	On Pod, NNTN8127 ordered separately
APX 7000XE APX 6000 APX 6000XE APX 4000	(55)	Single-wire Earbud with 11.5" Cable for Wireless Push-to-Talk Pod, Black	NNTN8294	Earbud	In-line	On Pod, NNTN8127 ordered separately
APX 3000 APX 900 SRX 2200	3	Single-wire Earbud with 45" Cable for Wireless Push-to-Talk Pod, Black	NNTN8295	Earbud	In-line	On Pod, NNTN8127 ordered separately

XBT Operations Critical Wireless

Behind-the-Neck Headset

RLN6490

Headset



COMPATIBILITY	ACCESSORY			FEATURES		
OPERATIONS CRI	TICAL WIRELESS (OC)	W) ACCESSORIES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	Q.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Headset	Boom	Headset or On Pod NNTN8127 ordered separately
APX 8000 APX 8000XE	5	Replacement Wireless Earpiece Cable, 12 inch	NTN2572	Over-the-Ear (CommPort™)	Directional above the Ear CommPort	On Pod, NNTN8127 ordered separately
APX 7000 APX 7000XE APX 6000	55	Covert Audio Kit for Operations Critical Wireless PTT Pod	NNTN8296			
APX 6000XE APX 4000 APX 3000 APX 900	(p)	CommPort Maintenance Kit (Includes 10 replacement ear tubes, 10 microphone seals and 2 windscreens)	NTN8821	Over-the-Ear (CommPort [™])		
SRX 2200	or and a second of the second	Ear Strap for CommPort™ Earpiece to Secure Earpiece to Ear (10 per pack)	NTN8988	Over-the-Ear (CommPort [™])		
	~	Eartubes for CommPort™ Earpiece (10 per pack)	RLN5037	Over-the-Ear (CommPort [™])		

38 CATALOG | NORTH AMERICA APX RADIO ACCESSORIES

Headset or On Pod

NNTN8127

ordered separately

COMPATIBILITY	ACCESSORY			FEATURES						
MOTOROLA IMP	PRES 2 BATTERIES									
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	HAZLOC-CAPABLE†	IP RATING
		IMPRES 2 Li-Ion 3400 mAh Battery, IP68 Rugged	PMNN4486	•	Li-lon	3400	86 x 59 x 42	185		♦ IP68 Rugged
APX 8000 APX 7000 APX 7000XE		IMPRES 2 Li-Ion 2550 mAh Battery, IP68 Rugged	PMNN4485	•	Li-lon	2550	86 x 59 x 37	150		♦ IP68 Rugged
APX 6000 APX 6000XE SRX 2200	1	IMPRES 2 Li-Ion 4850 mAh Battery, IP68 Rugged, -30°C Rated	PMNN4487	•	Li-lon	4850	130 x 59 x 42	320		♦ IP68 Rugged
	1	IMPRES 2 Li-Ion 5100 mAh Battery, IP68 Rugged	PMNN4494	•	Li-lon	5100	130 x 59 x 42	320		♦ IP68 Rugged
APX 6000	1	IMPRES 2 Li-lon 3100 mAh Battery, IP68 Rugged	PMNN4547	•	Li-lon	3100	86 x 59 x 45	200	UL	♦ IP68 Rugged
APX 6000XE SRX 2200		IMPRES 2 Li-Ion 4600 mAh Battery, IP68 Rugged	PMNN4573	•	Li-lon	4600	130 x 59 x 42	320	UL	♦ IP68 Rugged
		IMPRES 2 Li-lon 3400 mAh Battery, IP68 Rugged	PMNN4504	•	Li-lon	3400	86 x 59 x 42	185	UL	♦ IP68 Rugged
APX 8000XE	1	IMPRES 2 Li-Ion 4850 mAh Battery, IP68 Rugged, -30°C Rated	PMNN4505	•	Li-lon	4850	130 x 59 x 42	320	UL	♦ IP68 Rugged

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable



IMPRES 2 – A NEW GENERATION. COMPLETELY RE-ENERGIZED.

With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery. IMPRES 2 batteries have been improved inside and out, so your team can tackle whatever the day brings. With higher capacity, you'll get more talk time. With better water resistance, you'll never think twice about submersion. And with the ability to charge up to 60% more times than standard Lithium Ion batteries, you'll reduce costs.

COMPATIBILITY	ACCESSORY			FEATURES							
MOTOROLA IMP APX batteries are Pr	RES BATTERIES The or roven Tough, in lab test aft	nly batteries developed, tested and certified fo er lab test, to withstand shocks, knocks, drop	or optimal performa s and shakes and o	ance with your <i>i</i> outperform the o	APX radio. other brands.						
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	HAZLOC-CAPABLE [†]	IP RATING	
APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200	ı	APX Clamshell Battery Pack, IP57 Requires 12 AA Alkaline batteries (not included).	PMNN4439		AA Alkaline/ Li-lon	Alkaline: 2700 Li-lon: 6100	165 x 60 x 60	Alkaline: 476 Li-Ion: 380		♦ IP57	
SRX 2200		Military, Li-Ion 3100 mAh, Battery IP68 Rugged, Coyote Brown	NNTN8182		Li-lon	3100	86 x 59 x 42	185		♦ IP68 Rugged	
		IMPRES Li-Ion 2000 mAh Slim Battery, IP67	NNTN8128	•	Li-lon	2000	115 x 52 x 18	160		♦ IP67	
APX 4000 APX 3000 APX 1000		IMPRES Li-Ion 2350 mAh Battery, IP67	PMNN4424	•	Li-lon	2350	115 x 52 x 23	170		♦ IP67	
APX 900		IMPRES Li-lon 2800 mAh Battery, IP67	PMNN4448	•	Li-lon	2800	115 x 52 x 23	170		♦ IP67	
		IMPRES Li-lon 2900 mAh Battery, IP68	PMNN4489	•	Li-lon	2900	115 x 52 x 23	170	UL	♦ IP68	
APX 900		IMPRES Li-lon 2100 mAh Battery, IP68	PMNN4491	•	Li-lon	2100	115 x 52 x 18	160		♦ IP68	
		IMPRES Li-Ion 3000 mAh Battery, IP68	PMNN4493	•	Li-lon	3000	115 x 52 x 23	170		♦ IP68	
APX 4000 APX 3000 APX 1000		IMPRES Hi-Cap Li-Ion 2500 mAh Battery, IP57	NNTN8560	•	Li-lon	2500	113 x 52 x 23	195	UL	♦ IP57	
APX 3000	1	IMPRES Li-Ion 1300 mAh Slim Battery, IP67	NNTN8305	•	Li-lon	1300	115 x 52 x 14	98		♦ IP67	

† HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



INCREASED CAPACITY

DO MORE WITHOUT THE BULK.

First responders, public works employees, and other professionals know that shifts aren't getting any shorter. Thankfully, you can keep your people connected even longer. IMPRES 2 batteries deliver higher capacity without an increase in size.



DURABLE DESIGN

TACKLE THE TOUGHEST CONDITIONS.

Wherever the job takes you, be confident your battery will be up to the challenge. All IMPRES 2 batteries share the same IP68 rating as APX radios, which means they can be fully submersed in two meters of water for up to four hours. Designed with a rugged housing, they're as tough as the radios they charge. And in test after test, IMPRES 2 batteries continually withstand shocks, knocks, drops and shakes, outperforming the competition every time.



EXTENDED BATTERY LIFE

EXTENDED LIFE. BUILT TO LAST.

You face challenges every day. Battery life shouldn't be one of them. IMPRES 2 batteries, when combined with an IMPRES 2 charger, deliver up to 60% more charging cycles than traditional Lithium Ion batteries, so they're on the job longer. Which means you can stock fewer spares, and replace fewer batteries. We've also extended our capacity warranty from 18 to 24 months*, while backing all IMPRES batteries with a long 48 month workmanship warranty. IMPRES 2 batteries are compatible with all existing IMPRES chargers, so your upgrade will be a smooth one.

*IMPRES 2 batteries not charged exclusively in IMPRES 2 chargers receive a 6 month capacity warranty reduction to 18 months instead of 24 months.

COMPATIBILITY	ACCESSORY			FEATURES	;						
CHARGER SOLUTION and be confident yo	TIONS Choose from a var our radio is charged and re	riety of solutions including single-unit, uniqu ady to go the moment you need it.	e dual-unit, multi-un	it, travel and v	vehicular chargers						
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
SINGLE AND MU	JLTI-UNIT CHARGERS										
APX 8000		IMPRES 2 Single-Unit Fast Charger, 115V	NNTN8860	•	Li-lon, NiMH	115VAC	60 x 97 x 163	1	•	Fast	
APX 8000XE APX 7000 APX 7000XE APX 6000		IMPRES 2 Single-Unit Fast Charger, 115V, TAA compliant	NNTN8860_ TAA	•	Li-lon, NiMH	115VAC	60 x 97 x 163	1	•	Fast	
APX 6000XE SRX 2200		IMPRES 2 Single-Unit Fast Charger, 100-240V	NNTN8863	•	Li-lon, NiMH	100-240VAC	60 x 97 x 163	1	•	Fast	
APX 4000 APX 3000 APX 1000 APX 900		IMPRES Single-Unit Charger, 115V	PMPN4174	•	Li-lon, NiMH	115VAC	61 x 97 x 163	1	•	Rapid Rate	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Multi-Unit Fast Charger with 6 Displays and 6 Integrated USB Charging Ports, 100-240V	NNTN8844	•	Li-lon, NiMH	100-240VAC	153 x 445 x 292	6	•	Fast	6
APX 4000 APX 3000 APX 1000 APX 900		IMPRES Multi-Unit Charger, 115V	PMPN4284	•	Li-lon, NiMH	115VAC	117 x 444 x 170	6	•	Rapid Rate	1
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		Wall Mount Bracket for IMPRES Multi-Unit Chargers NNTN8844	NLN7967								
APX 4000 APX 3000 APX 1000 APX 900	掚	Wall mount bracket for PMPN4284 Charger	BR000272A01								





CHARGE FAST. RESPOND FASTER.

With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery.

Get a detailed look at performance while your batteries charge. A built-in diagnostic tool, integrated in the multi-unit charger, provides important usage data, such as a battery's ability to hold a charge and its time in service. Use the information to manage your fleet more efficiently, and replace low capacity batteries before it's too late.

COMPATIBILITY	ACCESSORY			FEATURES								
CHARGER SOLUT	FIONS Choose from a va	riety of solutions including single-unit, unique dual-unit, mul eady to go the moment you need it.	lti-unit, travel and v		rgers							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	CHARGING CURRENT (MAX.)			
VEHICULAR, TRA	VEL CHARGERS AND	VEHICULAR ADAPTER										
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7624	•	Li-lon, NiMH	12VDC Hardwire	82 x 97 x 200	1	Rapid Rate			
APX 4000 APX 3000 APX 1000 APX 900		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7616	•	Li-lon, NiMH	12VDC Hardwire	82 x 97 x 200	1	Rapid Rate			
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		Travel Charger with Voltage Regulated Vehicular Charger Adapter, Custom Charger Base, Mounting Bracket, and Coil Cord	RLN6434		Li-lon, NiMH	12VDC Cigarette Lighter Adapter	67 x 67 x 70	1				
APX 4000 APX 3000 APX 1000 APX 900		Travel Charger with Voltage Regulated Vehicular Charger Adapter, Custom Charger Base, Mounting Bracket, and Coil Cord	NNTN8525		Li-lon, NiMH	12VDC Cigarette Lighter Adapter	64 x 67 x 57	1				
APX 8000 APX 8000XE APX 6000 APX 6000XE		APX Vehicular Adapter includes Fused Power Cable, 2 Keys for the Lock, Screws for Attaching Vehicular Adapter to the Trunnion Mounting Bracket & Quick Start Guide. Trunnion mounting bracket NTN8940 ordered separately.	NNTN8527		Li-lon	12VDC Hardwire	254 x 137 x 84	1	Rapid Rate			
SRX 2200		Trunnion Mounting Bracket	NTN8940									







HOW DO I KNOW MY BATTERIES WILL LAST AN ENTIRE SHIFT?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, you can efficiently manage batteries with real-time data not available from other manufacturers.

These easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

CARRY SOLUTIONS

Motorola Carry Solutions were developed to meet the demands of public safety and other users who operate in the most rigorous of environments. A variety of carrying accessories are available for comfort and convenience.



LEATHER CARRY CASES

Motorola Leather Carry Cases constructed of top-grain leather are designed to withstand the harsh conditions of public safety users.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES				
		d holders are available in sizes desig -free, so you can concentrate on the		o and battery ar	nd permit audio t	o be heard cle	early.	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS	COMPATIBLE BATTERIES
APX 7000	*	Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5331	Plastic	3	Fixed		
APX 7000XE		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN6102	Plastic	3	Fixed		
APX 8000 APX 6000	L	Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN7901	Plastic	2.5	Fixed		
APX 8000XE APX 6000XE	F	Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN7902	Plastic	2.5	Fixed		
APX 3000	1	Covert Carry Holster	PMLN6327	Plastic	3	Fixed		
	#	Leather Carry Case with 3" Fixed Belt Loop	PMLN5323	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMNN4485 PMNN4486
APX 7000	#	Leather Carry Case with 3" Fixed Belt Loop	PMLN5326	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034 NNTN8921 PMNN4487 PMNN4494
	Ü	Leather Carry Case with 3" Fixed Belt Loop	PMLN5329	Hard Leather	3	Fixed	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573

COMPATIBILITY	ACCESSORY			FEATURES				
CARRY SOLUTION	IS							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS	COMPATIBLE BATTERIES
	F	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5324	Hard Leather	2.75	Swivel	•	NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMNN4485 PMNN4486
APX 7000	4	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5327	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034
W		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5330	Hard Leather	2.75	Swivel	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573
	V	Dual Display Radio Flip Leather Carry Case with 2.75" Swivel Belt Loop	PMLN5560	Hard Leather	2.75	Swivel	•	NNTN7038 NNTN8092 PMMN4403
APX 8000 APX 6000 APX 8000XE APX 6000XE APX 7000 APX 7000XE	-	Molded Nylon Carry Case with Quick Disconnect Swivel and Adjustable Lanyard	PMLN6802	Nylon		Swivel		
1	1	Leather Carry Case with 3" Fixed Belt Loop	NNTN8112	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 PMMN4403
APX 7000XE		Leather Carry Case with 3" Fixed Belt Loop	NNTN8114	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034
	Î	Leather Carry Case with 3" Fixed Belt Loop	NNTN8116	Hard Leather	3	Fixed	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573

COMPATIBILITY	ACCESSORY			FEATURES				
CARRY SOLUTION	ONS							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
	1	Leather Carry Case with 2.75" Swivel Belt Loop	NNTN8111	Hard Leather	2.75	Swivel		NNTN7038 NNTN8092 PMMN4403
APX 7000X	r	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8113	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921
AFA 7000A	7	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8115	Hard Leather	2.75	Swivel	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573
	1	Boston Leather Carry Case with D Rings — Requires an Audio Accessory, Radio strap holds down radio by strapping over the Audio Accessory connector, used with Boston Leather radio straps	AY000222A01	Hard Leather			•	
	*	Leather Carry Case with 3" Fixed Belt Loop	PMLN7903	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 PMMN4403 PMNN4485 PMNN4486 PMNN4547 NNTN8930 (for APX 6000)
APX 8000	1	Leather Carry Case with 3" Fixed Belt Loop	PMLN5660	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)
APX 6000	*	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN7904	Hard Leather	2.75	Swivel	•	NNTN8092 PMNN4485 PMNN4486 PMNN4547 NNTN8930 (for APX 6000)
	4	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5659	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)
APX 8000XI	ď	Leather Carry Case with 3" Fixed Belt Loop	PMLN7905	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 PMMN4403 PMNN4547 PMNN4485 (for APX 6000XE) PMNN4486 (for APX 6000XE) NNTN8930 (for APX 6000XE) PMNN4504 (for APX 8000XE)

COMPATIBILITY	ACCESSORY			FEATURES				
CARRY SOLUTION PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5879	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034 PMNN4487 (for APX 6000 PMNN4494 (for APX 6000 NNTN8921 (for APX 6000 PMNN4505 (for APX 8000
APX 8000XE APX 6000XE	•	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN7906	Hard Leather	2.75	Swivel	•	NNTN7038 NNTN8092 PMMN4403 PMNN4547 PMNN4485 (for APX 6000 PMNN4486 (for APX 6000 NNTN8930 (for APX 6000 PMNN4504 (for APX 8000
	•	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5877	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034 PMNN4487 (for APX 6000 PMNN4494 (for APX 6000 NNTN8921 (for APX 6000 PMNN4505 (for APX 8000
APX 4000		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN6085	Hard Leather	2.5	Swivel		
APX 4000	200	Carry Case for APX 4000 Two Knob Radios	PMLN7182	Hard Leather	2.5	Swivel	•	
APX 1000		Replacement Belt Loop for PMLN7182	PMLN7229					
SRX 2200		Nylon, Coyote Brown Carry Pouch designed to fit Elite Special Ops "Molle" Vest (sold separately)	NNTN8269	Nylon	Up to 5	Fixed		
		Coyote Brown Carry Case	RLN6253	Nylon	Up to 5	Fixed		
		Nylon Carry Case with 3" Fixed Belt Loop	PMLN5322	Nylon	3	Fixed	•	NNTN7038 PMMN4403 NNTN8092
APX 7000		Nylon Carry Case with 3" Fixed Belt Loop	PMLN5325	Nylon	3	Fixed	•	NNTN7033 NNTN7034
•	Î	Nylon Carry Case with 3" Fixed Belt Loop	PMLN5328	Nylon	3	Fixed	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573

COMPATIBILITY	ACCESSORY			FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS	COMPATIBLE BATTERIES
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5838	Hard Leather	3	Fixed		
APX 900		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN5842	Hard Leather	2.5	Swivel		PMNN4424 PMNN4491 PMNN4493
AFX 300	4	Leather Carry Case with 3" Swivel Belt Loop	PMLN5840	Hard Leather	3	Swivel		PMNN4489 PMNN4448 NNTN8128
		Nylon Carry Case with 3" Fixed Belt Loop.	PMLN5844	Nylon	3	Fixed		
APX 8000 APX 7000		Carry Case for APX Radio with Clamshell Battery	PMLN6712	Nylon	Up to 5	Fixed	•	
		2.5" Hard Plastic Belt Clip (not compatible with APX 7000 UHF Radios)	NTN8266	Plastic	2.5			
APX 8000 APX 8000XE	ľ	3" Hard Plastic Belt Clip	HLN6875	Plastic	3			
APX 7000 APX 7000XE	X	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	Nylon				
APX 6000 APX 6000XE	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	Nylon				
		Replacement Strap for HLN6602 and RLN4570	1505596Z02	Nylon				
APX 4000		2" Hard Plastic Belt Clip	PMLN4651	Plastic				
APX 1000		2.5" Hard Plastic Belt Clip	PMLN7008	Plastic				
APX 900		Accessory Connector Dust Cover	15012157001					

OMPATIBILITY ARRY SOLUTION	ACCESSORY			FEATURES
DRTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL
4		Replacement 2.5" Leather Swivel Belt Loop	PMLN5610	Hard Leather
APX 900	F	Replacement 3" Leather Swivel Belt Loop	PMLN5611	Hard Leather
APX 7000		Replacement 2.5" Leather Swivel Belt Loop	PMLN5407	Hard Leather
APX 7000XE APX 6000 APX 6000XE		Replacement 2.75" Leather Swivel Belt Loop	PMLN5408	Hard Leather
APX 4000 APX 1000		Replacement 3" Leather Swivel Belt Loop	PMLN5409	Hard Leather
APX 7000XE		Replacement Carry Case Strap with Snaps, Long. Used with NNTN8111, NNTN8112, NNTN8113, NNTN8114, NNTN8115 and NNTN8116	PMLN5800	Leather
APX 8000 APX 8000XE APX 7000 APX 7000XE	(g)	1.75" Wide Leather Belt	4200865599	Leather
APX 6000 APX 6000XE APX 4000 SRX 2200		Adjustable Nylon Carrying Strap	NTN5243	Nylon
		Boston Leather Fireman's Radio Strap	RLN6486	Leather
APX 8000 APX 8000XE APX 7000		Boston Leather Fireman's Radio Strap - XL	RLN6487	Leather
APX 7000XE APX 6000 APX 6000XE		Boston Leather Fireman's Radio Strap with button back holder	AY000223A01	Leather
APX 4000 APX 3000 SRX 2200		Boston Leather Fireman's Radio Strap with button back holder - XL	AY000229A01	Leather
	Open	Boston Leather Anti-Sway Strap for Boston Leather Fireman's Radio Strap	RLN6488	Leather

COMPATIBILITY	ACCESSORY			FEATURES					
ANTENNAS									
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	HAZLOC- CAPABLE [†]
APX 7000 APX 7000XE APX 6000 APX 6000XE		700/800 MHz, GPS Whip Antenna	NAF5085	700/800	764-870	•	20	Whip	UL
APX 4000 APX 3000 APX 1000 SRX 2200		UHF, GPS Whip Antenna	PMAE4065	UHF	380-520	•	14.2	Whip	UL
APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		VHF, GPS Whip Antenna	NAR6593	VHF	136-174	•	20	Whip	UL
1		900 MHz, GPS Antenna	PMAF4008	800/900	896-941	•	6	Whip	
P APX 4000		800/900 MHz, GPS Combination Helical Antenna	PMAF4003	800/900	806-941	•	18	Helical	UL
APX 8000 APX 8000XE APX 7000 APX 6000 APX 6000XE APX 4000 APX 1000		1/4 Wave, 700/800 MHz, GPS Stubby Antenna	NAR6595	700/800	764-870	•	9.8	Stubby	UL
APX 8000		VHF, 700/800, UHF Range 1, UHF Range 2 GPS (radio only)	KT000026A01	VHF 700/800		•		Whip	UL
		VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	VHF 700/800	136-174 764-870	•	20	Whip	UL
APX 8000 APX 8000XE APX 7000 APX 7000XE	/	VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001	VHF UHF	136-174 380-520	•	21.8	Whip	UL
		UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4001	UHF 700/800	380-520 764-870	•	19.7	Whip	UL

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED LENGTH GPS (CM)	TYPE	HAZLOC- CAPABLE [†]
	/	UHF, Flexible Whip Antenna	PMAE4022	UHF	403-470	16	Flexible Whip	UL
		VHF, 136-147 MHz, Stubby Antenna	PMAD4093	VHF	136-147	11	Stubby	UL
		VHF, 147-160 MHz, Stubby Antenna	PMAD4094	VHF	147-160	11	Stubby	UL
		VHF, 160-174 MHz, Stubby Antenna	PMAD4095	VHF	160-174	11	Stubby	UL
ا		700/800 MHz Flexible Whip Antenna	NAF5080	700/800	764-870	6.5	Flexible Whip	
APX 900		Coaxial Flexible Whip Antenna, 896-941 MHz	NAF5088	900	896-941	7	Flexible Whip	
	/	VHF, 136-174 MHz, Flexible Whip Wideband Antenna,	PMAD4088	VHF	136-174	8.3	Flexible Whip	UL
		700/800 MHz Stubby Antenna	PMAF4022	700/800	764-870	9	Stubby	
		UHF, 380-470 MHz, Stubby Antenna	PMAE4100	UHF	380-470	9	Stubby	UL
		UHF, 450-527 MHz, Stubby Antenna	PMAE4102	UHF	450-527	9	Stubby	UL
	ESS	UHF, 420-445Mhz, Stubby Antenna	PMAE4094	UHF	420-445	4.5	Stubby	

COMPATIBILITY	ACCESSORY			FEATURES					
ANTENNAS								_	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	HAZLOC- CAPABLE [†]
APX 6000 APX 6000XE		UHF Range 1, GPS Stubby Antenna	FAF5259	UHF	380-470	•	9.3	Stubby	UL
APX 4000 APX 1000		UHF Range 2, GPS Stubby Antenna	FAF5260	UHF	470-520	•	9.3	Stubby	UL
APX 7000 (700/800 MHz only)		GPS Antenna (Directly connected to radio when a public safety microphone is used)	NAG4000	700/800		•	7	Stubby	
APX 6000 (700/800 MHz only)	1	700/800 Public Safety Microphone Only Stubby Antenna	PMAF4002	700/800	764-870		9	Stubby	
F		Flexible Antenna with one flexible antenna spacer, 700/800 MHz	PMAF4006	700/800	764-870	•	41	Flexible	
APX 3000		Flexible Antenna with three flexible antenna spacers, UHF	PMAE4080	UHF	308-470	•	77	Flexible	
		Flexible Antenna with two flexible antenna spacers, VHF	PMAD4125	VHF	136-174		44	Flexible	
PROGRAMMING (CABLES								
APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE		Programming and Test Cable	PMKN4013						
APX 4000 APX 3000 APX 1000 APX 900 SRX 2200	Q	Programming Cable (Not compatible with APX 900)	PMKN4012						

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



APX MOBILE RADIOS ACCESSORIES

COMMUNICATE SAFELY AND EASILY WHEREVER YOU GO

You count on your mobile radio to function clearly and easily so you can concentrate on the mission and communicate safely.

Get the most out of your APX radio by extending its power and reliability with APX accessories. Every mobile microphone, speaker, alarm and control station accessory is best-in-class technology, designed and optimized specifically for your APX mobile. There's simply no substitute for APX accessories.



APX 8500 WITH 03 CONTROL HEAD



APX 7500 WITH 07 CONTROL HEAD



APX 6500 WITH 05 CONTROL HEAD




APX 4500 WITH 02 CONTROL HEAD



APX 1500 WITH 02 CONTROL HEAD

COMPATIBILITY	ACCESSORY		
LONG RANGE WII smarter and more co	RELESS get ready in seconfortable in demanding en	onds without having to worry about the wires getting in the way. No more getting tangled with your seatl nvironments.	oelt. Work, safer,
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES		Long Range Wireless Mobile Accessory Kit, includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Vehicular Charger (PMMN6716)	RLN6551
APX 4500 SERIES APX 1500 SERIES		Long Range Wireless Mobile Accessory Kit (No Power Charger), includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Charger must be purchased separately	RLN6552
ACCESSORIES AN	ND REPLACEMENT PA	ARTS	
	*	Dual Unit Charger, Rapid Rate Charger, 120V	PMLN7120
		Vehicular Charger	PMLN6716
		Wireless RSM with Battery and Clip	RLN6544
APX 8500 SERIES		Mobile Microphone with Bluetooth Gateway	PMMN4097
APX 7500 SERIES		Wireless RSM Battery, 1750 mA Li-lon	PMNN4461
APX 6500 SERIES		D Ring Swivel Clip (12 pack)	NNTN4990
APX 4500 SERIES	917	Receive-Only Earpiece with Comfort Eartube, UL approved [†]	RLN4941
6		Receive-Only Earpiece with Comfort Eartube	PMLN7560
APX 1500 SERIES	0	Receive-Only Earbud, UL approved	AARLN4885
	6 9	EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513





LONG RANGE WIRELESS REMOTE SPEAKER MICROPHONE (RSM)

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Long Range Wireless RSM works up to 100 meters away line-of-sight from the mobile radio, keeping you in communication where you never thought possible. Plug and play — Just attach the mobile gateway microphone to your radio, align the two devices where indicated by the blue dot and you are ready to go. Voice prompts will walk you through pairing quickly.

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES Ac numbers and send tex	ccess critical features d ct messages. Three prog	lirectly on the Keypad microphone. Navigatio grammable buttons are available for addition:	nal buttons and a full al customization.	keypad allow users to navigate ra	ndio menus, dial phone
MOBILE RADIOS	DESCRIPTION		PART NUMBER	MICROPHONE STYLE	IMPRES
APX 8500 SERIES APX 7500 SERIES	2	Water Resistant Palm Microphone for Motorcycle Mounted Mobiles	HMN1079	Standard	
	S	Keypad Microphone	HMN4079	Keypad + Navigation	
	00	Standard Palm Microphone	HMN1090	Standard	
APX 8500 SERIES	6	Water Resistant Palm Microphone	HMN1089	Standard	
APX 7500 SERIES		Telephone Keypad Handset with Hang-Up Cup	HMN4097	Telephone + Keypad	
APX 6500 SERIES	7	Hang-Up Handset with Armored Cable	HKN1018	Telephone	
APX 4500 SERIES APX 1500 SERIES		Handset with Hang-Up Cup	HLN1457	Telephone	
	1	Desktop Microphone	RMN5070	Desktop	
	0	IMPRES Visor Microphone, requires PTT Switch GLN7278 or RLN5926	RMN5054	Visor	•



IMPRES AUDIO ACCESSORIES

Mission critical voice transmissions have to be heard over engine, siren, road and wind noise. Fortunately, Motorola's exclusive IMPRES audio accessories are designed to optimize its output based on the accessory in use. IMPRES Visor Microphones are able to pick up and transmit the user's voice consistently to the receiving user regardless of how close they are speaking into the microphone.

MOBILE MICROP	HONE ACCESSORII	ES	
MOBILE RADIOS	DESCRIPTION		PART NUMBE
	A	Microphone Hang-Up Clip	HLN5391
	1.000	Microphone Extension Cable, 2-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4093
APX 8500 SERIES	R	Microphone Extension Cable, 10-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4033
APX 7500 SERIES		Microphone Extension Cable, 20-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4034
APX 6500 SERIES	S . (a)	Emergency Push Button, can be used with the Visor Microphone	HLN5131
APX 4500 SERIES	0	Emergency Footswitch, can be used with the Visor Microphone	HLN5113
APX 1500 SERIES	9	Footswitch Push-To-Talk, can be used with the Visor Microphone	GLN7278
7.11.74.10.00 0.22.11.2.0	83	Push Button Push-To-Talk, can be used with the Visor Microphone	RLN5926
		Replacement Cable for HMN4079	3075336B10
CONTROL STATIO	ON ACCESSORIES		
APX 8500 SERIES		Power Supply for APX 8500 Mid Power Mobile Radio	KT000254A
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Power Supply for APX Mid Power Mobile Radios	HPN4007
APX 8500 SERIES APX 7500 SERIES		Desktop Tray with Speaker	HLN6042
APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		110V Line Cord, Replacement Cable for HPN4007	3060665A0

COMPATIBILITY ACCESSORY INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunion kits give you the flexibility to mount the radio under your dash, in your dash, between the costs or on the flex

between the seats or space is limited.	on the floor. Remote mou	nt kits allow the radio to be mounted in the t	runk when dash
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		High Power Trunnion Kit; Quick Release with Lock-	HLN7003
		Mid Power Trunnion Kit; Standard Installation Bracket APX 6500 Enhanced requires KT000053A01 screws	HLN7002
APX 8500 SERIES		Mid Power Trunnion Lock	HLN6372
APX 7500 SERIES APX 6500 SERIES		Remote Mount Control Head Trunnion Compatible with 02/05 and 07 control heads	HKN6186
APX 4500 SERIES	A STATE OF THE PARTY OF THE PAR	Low Profile Remote Mount Control Head Trunnion Kit	HLN7031
APX 1500 SERIES		Dual Trunnion To be used with APX 8500 MP, APX 6500 and APX 6500 Enhanced	HLN7045B
	•—	Motorcycle Enclosure, Black	HLN7022

COMPATIBILITY	ACCESSORY			
EXTERNAL ALARM ACCESSORIES External alarm accessories enable additional switching power when external accessories are attached.				
MOBILE RADIOS	DESCRIPTION		PART NUMBER	
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		External Alarm Relays	HLN6969	



SPEAKERS Boost a	ACCESSORY audio at your control sta	tion on your desk or in your vehicle with exter	rnal speakers.
MOBILE RADIOS	DESCRIPTION		PART NUMBER
	0,5	Remote Mount, Water Resistant Speaker, 7.5 Watt Rated Audio	HSN4038
	•	Remote Mount, IPX4 Speaker, 15 Watt Rated Audio	HSN4040
APX 8500 SERIES APX 7500 SERIES		Non-Water Resistant Speaker, 13 Watt Rated Audio	HSN4032
APX 6500 SERIES APX 4500 SERIES		Covert 10 Watt Rated Audio Speaker	HSN4042
APX 1500 SERIES	50	Siren Speaker, Round with Grey Finish	TDN6254
	a p	Siren Speaker, Under Hood with Grey Finish	TDN6253

COMPATIBILITY	ACCESSORY		
UNIVERSAL RELA	AY CONTROLLER		
MOBILE RADIOS	DESCRIPTION		PART NUMBER
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES	Lana and	Universal Relay Controller for 09 Control Head, 10 DC Outputs, 15 Amps per Channel	PMUN1046
APX 1500 SERIES		Universal Relay Controller to Transceiver Cable	3064153H05

COMPATIBILITY	ACCESSORY	
MOBILE SIREN		
MOBILE RADIOS	DESCRIPTION	PART NUMBER
	Siren	DDN1542
APX 7500 SERIES APX 6500 SERIES	Siren Install Hardware	DDN1543
APX 4500 SERIES APX 1500 SERIES	Siren to Radio Cable	DDN1883
	O3 Siren to DEK Cable	DDN1545

COMPATIBILITY SIREN ACCESSO	ACCESSORY		
MOBILE RADIOS	DESCRIPTION		PART NUMBER
	1 1 1 C C C	Siren Switchbox	HLN6819
		Wire Harness for Siren Switchbox. Needed to connect HLN6819 to DDN1774	DDN1886
APX 7500 SERIES APX 6500 SERIES	generates	Mode Direct Entry Keypad, 8-Buttons	H1835
APX 4500 SERIES		Siren Cable, 03 Siren to Switchbox	HKN6146
APX 1500 SERIES		Siren Cable, 05 Siren to Switchbox	HKN4363
		Siren Cable, Direct Keypad for O3 Control Head	HKN6145



COMPATIBILITY	ACCESSORY		
SLIM (SIREN LIG	HT INTERFACE MO	DDULE)	
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		SLIM (Siren Light Interface Module)	DDN1774
		Power Harness for SLIM	DDN1775
		Radio to SLIM Cable	DDN1776
		Programming Kit for SLIM	DDN1777
		Interface Kit IK-A1	DDN1778
APX 7500 SERIES		Interface Kit IK-A4	DDN1779
S PAR CEPUICO		Interface Kit IK-C1	DDN1780
APX 6500 SERIES		Interface Kit IK-D3	DDN1781
APX 4500 SERIES		Interface Kit IK-E2	DDN1782
APX 1500 SERIES		Interface Kit IK-F5	DDN1783
		Interface Kit IK-A1WA	DDN1896
		Interface Kit IK-A1WB	DDN1897
		Interface Kit IK-C1F	DDN1898
		Interface Kit IK-C1C	DDN1899
		Interface Kit IK-A4WC	DDN1937



COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
CONTROL HEAD C	ABLES		
	O	O3 Handheld Control Head Extension Cable, 17-Feet	PMLN4958
APX 7500 SERIES APX 6500 SERIES	0	O3 Handheld Control Head Accessory Cable	PMLN4959
APX 4500 SERIES APX 1500 SERIES	O	Control Head Cable with Connections for Power, Speaker and Headset Jack	HKN6187
	0	Control Head Cable with Connections for Power and Speaker	HKN6188
REMOTE MOUNT	CABLES		
		Remote Mount Cable, 131-Feet	HKN6164
		Remote Mount Cable, 115-Feet	HKN6165
		Remote Mount Cable, 75-Feet	HKN6166
APX 7500 SERIES		Remote Mount Cable, 50-Feet	HKN6167
		Remote Mount Cable, 30-Feet	HKN6168
APX 6500 SERIES		Remote Mount Cable, 17-Feet	HKN6169
		Remote Mount Cable, 10-Feet	HKN6170
APX 4500 SERIES		Cable, Remote Control Head Vehicular Interface Port Connector for O5 Control Head	HKN6196
APX 1500 SERIES		Cable, Remote Control Head Mobile Accessory Port Connector for O5 Control Head	HKN6961
APX 7500 SERIES	O	Motorcycle Remote Cable for 05 Control Head	3075217A02
KEYLOAD CABLES	•		
APX 7500 SERIES APX 6500 SERIES	(5)	Keyloader Cable, KVL3000 and KVL4000	TKN8531
APX 4500 SERIES APX 1500 SERIES		Keyload Adapter for Mobile Microphone Port	HKN6182



Downer

COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	DESCRIPTION		PART NUMBE
POWER CABLES			
		Mid Power, Dash Mount Power Cable, 10-Feet	HKN4191
APX 7500 SERIES	0	Mid Power, Remote Mount Power Cable, 20-Feet	HKN4192
APX 6500 SERIES	•	Mid Power, Rear Ignition Cable, Dash Mount	HLN6863
APX 4500 SERIES	Ö	High Power, Remote Mount Power Cable 20-Feet	HKN6110
APX 1500 SERIES	1	Motorcycle Power Cable	HKN6032
DATA CABLES			
APX 8500 SERIES		Data Cable connects APX 8500 to Siren and DVRS MSU support with J600 port adapter	CB000409A
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES		Data Tethering Cable, required to connect to VML or certified data modem	KT000252A
		RS232 Cable for Rear Accessory Port, Dash Mount Only, 6-Feet	HKN6160
		RS232 Cable for Rear Accessory Port, Remote Mount Only, 20-Feet	HKN6161
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	0	RS232 Cable for Mobile Microphone Port	HKN6183
	O	RS232 Cable for J600 Transceiver Interconnect Board, 22-Feet	HKN6122
PROGRAMMING	CABLES		
APX 7500 SERIES APX 6500 SERIES	M	USB Cable, Rear Accessory Port, Remote Mount, 15-Feet (for use with customer program software)	HKN6172
APX 4500 SERIES APX 1500 SERIES		USB Cable, Rear Accessory Port, Dash Mount, 6-Feet (for use with customer program software)	HKN6163
APX 7500 SERIES APX 6500 SERIES		Programming Cable	HKN6184



ANTENNAS

For optimum range and quality, it is important to match the mobile radio's frequency with the proper Motorola antenna. These are available as standard 1/4 wave models or can include 3dB, 3.5dB or 5dB signal gain.



APX MOBILE RADIO ACCESSORIES

OMPATIBILITY	ACCESSORY			FEATURES		
INTENNAS A va	riety of antennas ensure the best possib	le reception wherever you o	perate. Choose from an	tennas with integra	ted GPS to standalo	ne RF antennas
IOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
APX 8500 MOTO	RCYCLE ANTENNAS					
	All Band N	lobile Antenna	AN000131A01			Through-hole
APX 8500 SERIES	Antenna w	e Mount, 1/4 Wave Whip ith QMA Connector, 136-144 uning Required	AN000197A01	VHF	136-144	Motorcycle
	Antenna w	e Mount, 1/4 Wave Whip rith QMA Connector,144-150.8 uning Required		VHF	144-150.8	Motorcycle
	Antenna w	e Mount, 1/4 Wave Whip rith QMA Connector, 150.8-162 uning Required	AN000197A03	VHF	150.8-162	Motorcycle

COMPATIBILITY	ACCESSORY		FEATURES		
ANTENNAS					
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
APX 8500 MOTO	RCYCLE ANTENNAS				
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 162-174 MHz, No Tuning Required	AN000197A04	VHF	162-174	Motorcycle
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 380-433 MHz, No Tuning Required	AN000197A05	UHF	380-433	Motorcycle
APX 8500 SERIES	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 425-470 MHz, No Tuning Required	AN000197A06	UHF	425-470	Motorcycle
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 450-482 MHz, No Tuning Required	AN000197A07	UHF	450-482	Motorcycle

COMPATIBILITY	ACCESSORY		FEATURES		
ANTENNAS					
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
APX 8500 MOTOR	CYCLE ANTENNAS				
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 482-520 MHz, No Tuning Required	AN000197A08	UHF	482-520	Motorcycle
	Motorcycle Mount, Low Profile, Unity Gain Antenna with QMA Connector, 450-512 MHz, No Tuning Required	AN000197A09	UHF	450-512	Motorcycle
APX 8500 SERIES	Motorcycle Mount Antenna with QMA Connector, 3dB Gain, 762-870 MHz	AN000197A10	800/900	762-870	Motorcycle
	Motorcycle Mount, Low Profile Antenna with QMA Connector, 3dB Gain, 762-870 MHz	AN000197A11	800/900	762-870	Motorcycle

COMPATIBILITY	ACCESSORY	
APX 8500 ANTEN	NA MULTIPLEXERS AND ADAPTERS	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
	Vehicle Multiplexer (supports HP)	EQ000103A02
	Motorcycle Multiplexer (low power)	EQ000103A01
	Mini U To QMA Adapter 12"	CB000091A03
APX 8500 SERIES	QMA to QMA Adapter 12"	CB000091A02
	SMA to QMA Adapter 12"	CB000091A04



COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTII STYLE
VHF ANTENNAS	(RF ONLY)					
		VHF 1/4 Wave Antenna, 136-144 MHz	HAD4006	VHF	136-144	Through-h
		VHF 1/4 Wave Antenna, 144-150.8 MHz	HAD4007	VHF	144-150.8	Through-h
APX 8500 SERIES*	8	VHF 1/4 Wave Antenna, 150.8-162 MHz	HAD4008	VHF	150.8-162	Through-h
APX 7500 SERIES		VHF 1/4 Wave Antenna, 162-174 MHz	HAD4009	VHF	162-174	Through-h
APX 6500 SERIES		VHF 1/4 Wave Antenna, 136-162 MHz	HAD4016	VHF	136-162	Through-l
APX 4500 SERIES		VHF 1/4 Wave Antenna, 146-174 MHz	HAD4017	VHF	146-174	Through-l
APX 1500 SERIES		VHF Wideband Antenna, 136-174 MHz	HAD4021	VHF	136-174	Through-ł
	,	VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	HAD4022	VHF	136-174	Through-h
UHF ANTENNAS	(RF ONLY)					
APX 8500 SERIES* APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		UHF 1/4 Wave Antenna, 380-433 MHz	HAE6012	UHF	380-433	Through-h
		UHF 1/4 Wave Antenna, 450-470 MHz	HAE4003	UHF	450-470	Through-h
		UHF 1/4 Wave Antenna, 470-512 MHz	HAE4004	UHF	470-512	Through-l

*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.

COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS				LIHE / VHE /	FREQUENCY	MOUNTING
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	STYLE
UHF ANTENNAS	(RF ONLY)					
	ř.	UHF 3 dB Gain Antenna, 494-512 MHz	HAE4013	UHF	494-512	Through-hole
		UHF 3.5 dB Gain Antenna, 380-420 MHz MAXRAD	HAE6010	UHF	380-420	Through-hole
		UHF 3.5 dB Gain Antenna, 470-495 MHz	HAE4011	UHF	470-495	Through-hole
		UHF 3.5 dB Gain Antenna, 450-470 MHz	HAE4012	UHF	450-470	Through-hole
		UHF 5 dB Gain Antenna, 380-420 MHz MAXRAD	HAE6011	UHF	380-420	Through-hole
APX 8500 SERIES*		UHF 5 dB Gain Antenna, 455-470 MHz	RAE4014	UHF	455-470	Through-hole
APX 7500 SERIES		UHF 5 dB Gain Antenna, 470-494 MHz	RAE4015	UHF	470-494	Through-hole
APX 6500 SERIES	1	UHF 5 dB Gain Antenna, 494-512 MHz	RAE4016	UHF	494-512	Through-hole
APX 4500 SERIES		UHF 2 dB Gain Wideband Antenna, 380-470 MHz, MAXRAD	HAE6013	UHF	380-470	Through-hole
APX 1500 SERIES		UHF 2 dB Gain Wideband Antenna, 450-512 MHz	HAE6015	UHF	450-512	Through-hole
	4	UHF 2 dB Gain Wideband Antenna, 380-520 MHz	HAE6031	UHF	380-520	Through-hole
		UHF Wideband Low Profile Antenna, 450-512 MHz	HAE6016	UHF	450-512	Through-hole

*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.


COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS.						
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
700/800 MHZ ANT	TENNAS (RF ONLY)					
		1/4 Wave Antenna, 762-870 MHz	HAF4016	700/800	762-870	Through-hole
APX 8500 SERIES* APX 7500 SERIES		3 dB Gain Low Profile Antenna, 762-870 MHz	HAF4013	700/800	762-870	Through-hole
APX 6500 SERIES APX 4500 SERIES		3 dB Gain Elevated Feed Antenna, 762-870 MHz	HAF4014	700/800	762-870	Through-hole
APX 1500 SERIES	Table - cent	3 dB Gain Collinear Antenna, 762-870 MHz	HAF4017	700/800	762-870	Through-hole

*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.



COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS						
MOBILE RADIOS	DESCRIPTION		PART NUMBER	GPS / WI-FI	FREQUENCY BAND (MHz)	MOUNTING STYLE
GPS / WI-FI ANTI	ENNAS					
APX 7500 SERIES APX 6500 SERIES	0	GPS Roof Mount Antenna SMA Male connector with RG-174 17ft cable	HAG4000	GPS Only		Roof Mount
APX 4500 SERIES APX 1500 SERIES	Q	GPS Glass Mount Antenna SMA Male connector with RG-174 17ft cable	PMAN4001	GPS Only		Glass Mount
		Convert glass-mount motorcycle antenna with Wi-Fi 5GHz	PMAN5101	Wi-Fi Only		Glass Mount
APX 8500 SERIES* APX 7500 SERIES		Convert glass-mount motorcycle antenna with GPS GNSS	PMAN4109	GPS Only		Glass Moun
APX 6500 SERIES APX 4500 SERIES		Wi-Fi/GPS Combination Vehicle Antenna	AN000163A01	GPS Wi-Fi		Through-hol
APX 1500 SERIES		Wi-Fi/GPS Combination Motorcycle Antenna	AN000163A02	GPS Wi-Fi		Motorcycle
APX 7500 SERIES	200	GPS Motorcycle Antenna	HAG4001	GPS Only		Motorcycle

 $^*\mbox{CB000091A03}$ - Mini-U to QMA adapter required for APX 8500 to antenna connection.



GLOSSARY

HAZLOC-CAPABLE

For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

Motorola-approved accessories are a critical part of the overall radio system intrinsic safety certification. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved and unsafe in a hazardous environment.

IP RATING

International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection. The second digit, IPx7 or IPx8 represents increased levels of water protection.

- **IPx7** represents withstanding submersion in 1 meter of fresh water for 30 minutes.
- **IPx8** represents heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 1 meter for another 2 hours.
- **IPx8+Rugged** represents exceeding industry specs by heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 2 meters for another 4 hours.

MICROPHONE NOISE SUPPRESSION

Multi Mic Noise Suppression: Five integrated microphones and Adaptive Audio Engine automatically change the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

Dual Mic Noise Suppression: Dual-microphone design tracks your voice so that you can keep your eye on what's in front of you while speaking. A digital signal processor (DSP) algorithm helps suppress background noise so you can be heard clearly regardless of the noise around you.

Windporting (Motorola Exclusive):

Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-cancelling microphones negate crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

SWIVEL OR FIXED LOOP

Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.





For more information on Motorola mission critical accessories, visit **motorolasolutions.com/apx**.

